



STAS plasterboard rail

integrated ceiling rail

The STAS plasterboard rail is a built-in picture hanging system for rooms to be built or renovated with plaster, timber or concrete walls and plasterboard ceilings. The picture hanging system together with the wooden framework, is mounted under the beam layer on the wall.

Thanks to the 2 different profiles (9.5 mm / 12.5 mm), plasterboards with a thickness of 9 mm or 12 mm can be slid into the profiles of the STAS plasterboard rail. The result is a tightly finished room with an almost invisible picture hanging system that disappears into the shadow line of the plasterboards.

The STAS plasterboard rail can be used with the STAS cords with cobra.

- dimensions 9,5 mm rail 31 x 36 mm
dimensions 12,5 mm rail: 34 x 36 mm
- length 200 or 300 cm
- aluminium
- white (RAL 9016)
- wall mountable
- weight capacity 25 kg/m
- 5 years warranty

SCAN FOR MANUAL



Parts

STAS plasterboard rail

PC10120 200 cm 9,5 mm
PC10130 300 cm 9,5 mm

PC10020 200 cm 12,5 mm
PC10030 300 cm 12,5 mm



STAS plasterboard rail inner corner profile

PC10170 9,5 mm
PC10070 12,5 mm
(with corner connector)



STAS plasterboard rail outside corner profile

PC10180 9,5 mm
PC10080 12,5 mm
(with corner connector)



STAS rail connector

RD20400



STAS corner connector

RD20500



STAS hammer fixing plug

(5 per m²)
SR10400



STAS hooks and cords

After selecting a rail, choose a cord to hook anywhere into the rail and a hook to slide over the cord to the desired height.

The cords and hooks on this page can be combined with all STAS rail types, with the exception of the STAS wooden rails, STAS j-rail (max), STAS evoluon and STAS plaster rail.

Cords



STAS cobra with perlon cord
 CP10110 100 cm
 CP10115 150 cm
 CP10120 200 cm
 CP10125 250 cm
 CP10130 300 cm
 CP10140 400 cm



STAS cobra with steel cable
 SC10110 100 cm
 SC10115 150 cm
 SC10120 200 cm
 SC10125 250 cm
 SC10130 300 cm
 SC10140 400 cm



STAS cobra with steel cable white
 SC10220 200 cm white
 SC20220 200 cm black

Hooks



STAS smartspring
 HA30900



STAS zipper
 HA30501



STAS zipper pro
 HA30530



Possible combinations



max.
4 kg

perlon cord + smartspring



max.
15 kg

perlon cord + zipper or zipper pro



max.
20 kg

steel cable + zipper or zipper pro



max.
10 kg

steel cable white or black + zipper or zipper pro

Important note regarding warranty and liability

Products of STAS must be installed and used only in strict accordance with the latest version of the STAS picture hanging systems installation guide, available for download at www.stasgroup.com. It is the responsibility of the installer to select the correct fasteners for the particular installation. Improper installation, misuse, misapplication or otherwise failing to completely follow seller's instructions and warnings may cause product malfunction, property damage or personal injury.

STAS products TÜV certified

STAS strives day after day for products of the highest quality. To guarantee the quality and independence of products, STAS has commissioned TÜV Netherlands for the testing of its products. TÜV Netherlands is an independent and recognized body that assesses the quality of products according to a set standard and has extensive experience in the field of product safety and product inspections. Under the direction of TÜV, a large part of our range of products has been tested for quality and correctness of the specified features. All products where the TÜV logo is shown, have actually been tested by TÜV Netherlands and approved for the capacity that is stated in the features of that product.



STAS picture hanging systems

Esp 245 | 5633 AD Eindhoven | PO box 1049 | 5602 BA Eindhoven | The Netherlands
T +31 (0)40 292 48 48 | info@stasgroup.com | www.stasgroup.com